



TITLE:

生体内吸収性高強度ポリ-L-乳酸骨  
接合材に関する研究(  
Dissertation\_全文)

AUTHOR(S):

Matsusue, Yoshitaka

---

CITATION:

Matsusue, Yoshitaka. 生体内吸収性高強度ポリ-L-乳酸骨接合材に関する研究. 京都大学, 1993, 博士(医学)

ISSUE DATE:

1993-07-23

URL:

<https://doi.org/10.11501/3070374>

RIGHT:

主論文は出版社の許諾条件により公開していません



②

生体内吸収性高強度ポリ-1-乳酸  
骨接合材に関する研究

松末 吉隆

Campus

SOFT COLOR FILE · A4-S

*Reading makesh a full man; conference a ready man;  
and writing an exact man.*

生体内吸収性高強度ポリ-1-乳酸骨接合材に関する研究 (松末 吉隆)

Campus



## Biodegradable Screw Fixation of Rabbit Tibia Proximal Osteotomies

---

Yoshitaka Matsusue,\* Takao Yamamuro,\* Satoru Yoshii,\* Masanori Oka,\*\* Yoshito Ikada,\*\* Suong-Hyu Hyon,\*\* and Yasuo Shikinami\*\*

\*Department of Orthopaedic Surgery, Faculty of Medicine, Kyoto University, and \*\*Research Center for Medical Polymers and Biomaterials, Kyoto University.

***In vitro and in vivo studies on bioabsorbable  
ultra-high-strength poly(L-lactide) rods***

**Yoshitaka Matsusue\* and Takao Yamamuro**

*Department of Orthopedic Surgery, Faculty of Medicine, Kyoto University, 54 Kawahara-cho,  
Shogoin, Sakyo-ku, Kyoto 606, Japan*

**Masanori Oka, Yasuo Shikinami, Suong-Hyu Hyon, and Yoshito Ikada**

*Research Center for Biomedical Engineering, Kyoto University, 53 Kawahara-cho, Shogoin,  
Sakyo-ku, Kyoto 606, Japan*

*Reprinted from*

Journal of Biomedical Materials Research, December 1992 © 1992 by John Wiley & Sons, Inc.